

Микробиологические пробирки

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35


Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: dbc@nt-rt.ru || сайт: <https://deltalab.nt-rt.ru/>



Sterile culture tubes in polystyrene

Tubes supplied with either a two position ribbed polyethylene cap, which can be left loose for aerobic work or sealed for anaerobic cultures.

They are biologically inert, exempt from mold release agents, and withstand up to 1,400 xg and from -190°C up to 120 °C.

Packaged in self-standing resealable zip-lock bags of 125 units.

code	dimensions	volume	case qty.	case weight (Kg)	case vol. (m3)
300807	12 x 75 mm	5 ml	8 x 125	4,24	0,033
300808	17 x 100 mm	14 ml	8 x 125	7,14	0,060



EUROTUBO® 50 ml conical tubes

Tubes made of transparent polypropylene, conical bottom, suitable for centrifugation tests in immunology, microbiology, etc.

Perfect to analyse Koch bacillus. Continuous thread, external moulded graduations in 5 ml increments.

Blue cap in high density polyethylene with hermetical closure thanks to its internal elastic obturation.

Skirted and non skirted versions, sterilised by radiation and non sterilised versions. Sterile codes are either supplied in individual bags (codes 429926, 429927), in bags of 100 units (codes 429926.10, 429927.10), or in bags of 25 units (codes 429926.25, 429927.25) and resist up to 7,000 xg.

Autoclave not recommended as they have been ionised.

Non sterile codes withstand up to 12,000 xg and are autoclavable (121 °C) with the cap loose on

the thread and not tightly fitted.

Every version is supplied capped, excepting code 429900SP, which is supplied uncapped, with the cap in a separated bag.

You need to use the proper adapters to the tube of the code 429926 during the centrifugación to avoid malformations.



code	presentation	sterile	int. diameter	ext. diameter	higher diameter	length	case qty.	case weight (Kg)	case vol. (m3)	palet cases
429900	non skirted	-	27,2 mm	29,5 mm	34,4 mm	117,5 mm	500	7,80	0,072	20
429900SP	non skirted, unscrewed cap	-	27,2 mm	29,5 mm	34,4 mm	117,5 mm	500	7,90	0,082	20
429901	skirted	-	27,2 mm	29,5 mm	34,4 mm	117,5 mm	500	8,50	0,082	20
429926	non skirted, individually wrapped	STERILE R	27,2 mm	29,5 mm	34,4 mm	117,5 mm	500	8,00	0,080	20
429926.25	non skirted, bag 25 units	STERILE R	27,2 mm	29,5 mm	34,4 mm	117,5 mm	20 x 25	8,30	0,082	20
429926.10	non skirted, bag 100 units	STERILE R	27,2 mm	29,5 mm	34,4 mm	117,5 mm	5 x 100	7,90	0,082	20
429927	skirted, individually wrapped	STERILE R	27,2 mm	29,5 mm	34,4 mm	117,5 mm	500	8,80	0,082	20
429927.25	skirted, bag 25 units	STERILE R	27,2 mm	29,5 mm	34,4 mm	117,5 mm	20 x 25	8,80	0,082	20
429927.10	skirted, bag 100 units	STERILE R	27,2 mm	29,5 mm	34,4 mm	117,5 mm	5 x 100	8,50	0,082	20



EUROTUBO® 15 ml conical tubes

Tubes made of transparent polypropylene, conical bottom, suitable for centrifugation tests in immunology, microbiology, etc.

Continuous thread, external moulded graduations in 0,5 ml increments. Frosted area (55 x 10 mm).

Blue cap in polyethylene with hermetical closure thanks to its internal elastic obturation.

Code 429910 is autoclavable (121°C) with the cap not being closed, just placed on the thread.

Autoclave not recommended for the codes 429920 and 429946, as they have been sterilised by radiation.

Code 429920 is supplied sterile (100 units bags).

The bag specifies IVD, lot number, expiration date, etc.

Code 429946 is supplied sterile in individual bags. Resistance to centrifugation: 7,000 xg (non sterile model) and 5,000 xg (sterile models).

It is recommended to use adapters to centrifuge and avoid malformations.

Length (with cap): 120 mm. External mouth diameter: 17 mm. External cap diameter: 20,9 mm.



code	presentation	sterile	case qty.	case weight (Kg)	case vol. (m3)	palet cases
429910	–	non sterile	500	3,80	0,030	54
429920	–	STERILE R	5 x 100	3,90	0,029	54
429946	individually bagged	STERILE R	500	3,96	0,040	40



EUROTUBO® 12 ml screw cap tubes, round bottom

Made of autoclavable (121 °C) transparent polypropylene or polystyrene. Green cap made of high density polyethylene. Dimensions: 15 x 102 mm. The external skirt allows the tubes to remain free-standing. Supplied screwed. Recommended volume: 12 ml. The sterile model (ethylene oxide) is supplied individually in flow-pack bag, with indication of batch, expiration date, etc. According to the guidelines for sterile products. Resistance to centrifugation: PS: 7,500 xg. PP: 15,000 xg. Attention: For autoclaving, the cap should be loose on the thread and not tightly fitted.



code	sterile	recommended volume	max. volume	characteristics	case qty.	case weight (Kg)	case vol. (m3)	palet cases
301403	-	12 ml	14,4 ml	polystyrene	6 x 250	12,90	0,082	20
301402	STERILE EO	12 ml	14,4 ml	polystyrene individually wrapped	6 x 250	13,40	0,096	16
401402	STERILE EO	12 ml	14,2 ml	polypropylene individually wrapped	6 x 250	12,03	0,096	16
401403	-	12 ml	14,2 ml	high transparency polypropylene	6 x 250	11,11	0,082	20



15 ml and 50 ml centrifugal tubes

Made of polypropylene, suitable for both clinical and research applications.

They are also free of natural rubber, latex, and heavy metals.

High transparency of the material for a clear visualization during experiments specially for molecular biology.

Tube and cap designed with the system of flat threads for a complete leakproof.

Highly smooth hydrophobic surface for minimum disturbance during centrifugation.

Silk-screen blue graduation in the tube and large white frosted portion for easy writing.

Autoclavable at 121 °C, 20 min.

Centrifugation resistance: 14.000 xg, except code 429931: 7.000 xg and codes 429950, 429951: 3.500 xg

It is recommended to use adapters to centrifuge and avoid malformations.

Available models: 15 ml non-skirted and 50 ml skirted and non-skirted.



code	description	presentation	sterile	case qty.	case weight (Kg)	case vol. (m3)	tube length	Ø exterior
429940	15ml tube non skirted	500 tubes in bulk	NO	500	4,50	0,0281	121 mm	16.5 mm

429945	15ml tube non skirted	20 bags of 25 units	NO	500	4,50	0,0281	121 mm	16.5 mm
429942*	15ml tube non skirted	20 bags of 25 units	STERILE R	500	4,50	0,0281	121 mm	16.5 mm
429930	50ml tube non skirted	20 bags of 25 units	NO	500	7,70	0,0844	116 mm	29.2 mm
429931*	50ml tube non skirted	20 bags of 25 units	STERILE R	500	7,44	0,0820	116 mm	29.2 mm
429950	50ml tube skirted	20 bags of 25 units	NO	500	8,80	0,0844	117.2 mm	29.2 mm
429951*	50ml tube skirted	20 bags of 25 units	STERILE R	500	8,38	0,0820	117.2 mm	29.2 mm

Regulation (EU) 2017/746. "In vitro" diagnostic medical devices (IVDR). DNAsa, RNAsa and pyrogen free.

*Directive 98/79/CE. "In Vitro" diagnostic medical devices (IVDD).

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: dbc@nt-rt.ru || сайт: <https://deltalab.nt-rt.ru/>