

Мерные цилиндры, колбы и стаканы

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: dbc@nt-rt.ru || сайт: <https://deltalab.nt-rt.ru/>



Low form graduated beakers

Material: PFA.

High chemical and temperature resistance (-250°C / 270°C).

PFA main features:

This is a type of polyethylene where hydrogen atoms have been replaced by fluorine ones, commonly called «fluocarbons».

- Unbreakable, resistant to almost all temperatures
- Resistant to almost all chemical products, except fluorine and other alkaline metals during fusion
- Non flammable

Highly recommended for those cases where extreme conditions of transport and storage are required.



code	capacity	diameter	height	case qty.	case weight (Kg)	case vol. (m3)
191537	250 ml	67 mm	96 mm	1	0,05	0,001



Conical measuring flasks

In polypropylene. Autoclavable up to 121 °C.



code	capacity	height	case qty.	case weight (Kg)	case vol. (m3)
19423	250 ml	160 mm	1	1,14	0,019
19424	500 ml	180 mm	8	1,00	0,028
19425	1.000 ml	270 mm	3	0,81	0,016



Beakers with three spouts

Graduated beakers made of ultra clear polypropylene Autoclavable up to 121 °C.

Disposable.

Moulded-in graduations.



code	capacity	case qty.	case weight (Kg)	case vol. (m3)
490050	50 ml	100	1,02	0,011
490100	100 ml	100	1,38	0,011
490250	250 ml	100	2,50	0,028
490400	400 ml	100	3,30	0,044
490900	900 ml	100	5,89	0,060



Graduated beakers

Material: transparent polypropylene. Autoclavable up to 121 °C.
In compliance with ISO 6706 and BS 5404 standards.



code	capacity	diameter	height	case qty.	case weight (Kg)	case vol. (m3)
409050	50 ml	42 mm	60 mm	20	0,29	0,004
409100	100 ml	53 mm	72 mm	12	0,33	0,005
409250	250 ml	71 mm	96 mm	16	0,72	0,011
409500	500 ml	90 mm	120 mm	12	0,88	0,015
491000	1.000 ml	110 mm	149 mm	4	0,49	0,009
492000	2.000 ml	135 mm	184 mm	4	0,86	0,017
493000	3.000 ml	160 mm	200 mm	2	0,88	0,022
495000	5.000 ml	191 mm	230 mm	2	2,00	0,022



Graduated beakers

Made of transparent polypropylene. Autoclavable a 121 °C.
ISO 6706 and BS 5404 standards.



code	capacity	diameter	height	graduations	case qty.	case weight (Kg)	case vol. (m3)
191822	50 ml	42 mm	60 mm	2 ml	20	0,31	0,004
191823	100 ml	52 mm	72 mm	5 ml	12	0,35	0,004
191824	250 ml	71 mm	96 mm	10 ml	16	0,75	0,010
191825	500 ml	90 mm	120 mm	10 ml	12	1,05	0,015
191826	1.000 ml	110 mm	149 mm	20 ml	4	0,50	0,010
191827	2.000 ml	135 mm	184 mm	50 ml	4	0,60	0,018
191828	3.000 ml	160 mm	200 mm	500 ml	2	0,90	0,014
191829	5.000 ml	191 mm	230 mm	500 ml	2	1,40	0,022



Graduated beakers

Made of TPX. Autoclavable to 170 °C.
ISO 6706 and BS 5404 standards.



code	capacity	diameter	height	graduations	case qty.	case weight (Kg)	case vol. (m3)
191721	50 ml	42 mm	60 mm	2 ml	20	0,29	0,004
191722	100 ml	52 mm	72 mm	5 ml	12	0,70	0,004
191723	250 ml	71 mm	96 mm	10 ml	16	1,45	0,011
191724	500 ml	90 mm	120 mm	10 ml	12	2,10	0,015
191725	1.000 ml	110 mm	149 mm	20 ml	4	1,20	0,010
191726	2.000 ml	135 mm	184 mm	50 ml	4	2,00	0,018
191727	3.000 ml	160 mm	200 mm	500 ml	2	1,80	0,014



Erlenmeyer flasks

Material: polypropylene. Autoclavable up to 121 °C. Graduated.



code	description	capacity	base diameter	case qty.	case weight (Kg)	case vol. (m3)
191461	Neck 14,5/23	125 ml	25 mm	1	0,03	0,0006
191462	Neck 19/26	250 ml	25 mm	1	0,04	0,0001
191463	Neck 24/29	500 ml	50 mm	1	0,10	0,0002
191464	Neck 29/32	1.000 ml	50 mm	1	0,20	0,0002
191465	Neck 34,5/35	2.000 ml	100 mm	1	0,30	0,0004



Volumetric flasks with stopper

Material: polypropylene. Autoclavable up to 121 °C.



code	description	capacity	base diameter	height	case qty.	case weight (Kg)	case vol. (m3)
191484	Neck 12/21	25 ml	36 mm	121 mm	20	0,24	0,002
191485	Neck 14/23	50 ml	46 mm	143 mm	20	0,32	0,005
191486	Neck 14/23	100 ml	58 mm	174 mm	20	0,39	0,012
191487	Neck 19/26	250 ml	82 mm	225 mm	10	0,52	0,010
191488	Neck 19/26	500 ml	100 mm	265 mm	10	0,60	0,018
191489	Neck 19/26	1.000 ml	120 mm	325 mm	5	0,55	0,019



Graduated measuring cylinders pentagonal base

Polypropylene codes: autoclavable up to 121 °C.

TPX codes. Autoclavable up to 170 °C.

ISO 6706 and BS 5404 standards.



code	description	capacity	diameter	height	graduations	case qty.	case weight (Kg)	case vol. (m3)
192562	PP	50 ml	26 mm	200 mm	10 ml	30	1,15	0,011
192563	PP	100 ml	31 mm	250 mm	10 ml	30	1,33	0,021
192564	PP	250 ml	41 mm	315 mm	20 ml	12	1,50	0,014
192565	PP	500 ml	56 mm	360 mm	50 ml	12	2,50	0,028
192566	PP	1.000 ml	66 mm	440 mm	100 ml	6	2,15	0,029

192567	PP	2.000 ml	80 mm	530 mm	200 ml	6	3,25	0,048
192572	TPX	50 ml	26 mm	200 mm	10 ml	30	1,15	0,011
192573	TPX	100 ml	31 mm	250 mm	10 ml	30	1,40	0,018
192574	TPX	250 ml	41 mm	315 mm	20 ml	12	1,45	0,014
192575	TPX	500 ml	56 mm	360 mm	50 ml	12	2,45	0,028
192576	TPX	1.000 ml	66 mm	440 mm	100 ml	6	2,15	0,030



Measuring cylinders with pentagonal base

Material: polypropylene. Autoclavable up to 121 °C.
In compliance with ISO 6706 and BS 5404 standards.



code	capacity	diameter	height	graduations	case qty.	case weight (Kg)	case vol. (m3)
408025	25 ml	19 mm	195 mm	5 ml	30	0,78	0,010
408050	50 ml	26 mm	200 mm	10 ml	30	1,10	0,010
408100	100 ml	31 mm	250 mm	10 ml	30	1,47	0,018
408250	250 ml	41 mm	315 mm	20 ml	12	1,40	0,015
408500	500 ml	56 mm	360 mm	50 ml	12	1,94	0,029
481000	1.000 ml	66 mm	440 mm	100 ml	6	1,58	0,029
482000	2.000 ml	80 mm	530 mm	200 ml	6	3,75	0,048

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: dbc@nt-rt.ru || сайт: <https://deltalab.nt-rt.ru/>